


Heat Outputs & Data Charts

Edge

Height (mm)	'n'	Length (mm)	Heat Output (Watts)	
			ΔT50	ΔT30
800	1.21	500	434	234
	1.20	600	504	274
	1.18	750	609	333
1200	1.22	500	628	337
	1.20	600	733	396
	1.19	750	890	485
1800	1.24	500	1005	533
	1.22	600	1172	629
	1.20	750	1423	772

Height (mm)	No. of Elements	Dry Weight (kgs)			Water Content (ltr/m)		
		Width (mm)			Width (mm)		
		500	600	750	500	600	750
800	16	9.3	10.7	12.9	3.3	3.6	4
1200	24	13.8	16	19.3	4.8	5.2	6
1800	39	22	25.6	30.9	7.7	8.5	9.8



NOTE:

All outputs are in accordance with BS EN442 certification.
 'n' = average exponent value.


Recommended Electrical Element for Edge & Groove			
Height (mm)	800	1200	1800
All widths	200 Watt	300 Watt	300 Watt
Part Number	EE002	EE003	EE003

Heat Outputs & Data Charts

Groove

Height (mm)	'n'	Length (mm)	Heat Output (Watts)	
			ΔT50	ΔT30
800	1.22	500	393	211
	1.20	600	463	251
	1.18	750	569	312
1200	1.23	500	579	309
	1.20	600	684	370
	1.18	750	841	461
1800	1.24	500	888	472
	1.21	600	1044	563
	1.18	750	1279	700

Height (mm)	No. of Elements	Dry Weight (kgs)			Water Content (ltr/m)		
		Width (mm)			Width (mm)		
		500	600	750	500	600	750
800	16	9	10.4	12.6	3.6	4	4.6
1200	24	13.1	15.7	18.9	5.4	6	6.9
1800	37	20.8	24	30	8.1	9	10.5



NOTE:

All outputs are in accordance with BS EN442 certification.
 'n' = average exponent value.


Recommended Electrical Element for Edge & Groove			
Height (mm)	800	1200	1800
All widths	200 Watt	300 Watt	300 Watt
Part Number	EE002	EE003	EE003

Heat Outputs & Data Charts

Crystal Straight

Height (mm)	Length (mm)	Crystal Straight - White			Crystal Straight - Chrome		
		'n'	Heat Output (Watts)		'n'	Heat Output (Watts)	
			ΔT50	ΔT30		ΔT50	ΔT30
690	450	1.22	301	161	1.23	195	104
	600	1.22	386	207	1.24	251	133
1230	450	1.25	522	276	1.26	356	187
	600	1.25	669	353	1.27	464	242
1703	450	1.25	733	387	1.29	494	256
	600	1.25	940	497	1.29	644	333

Height (mm)	No. of Elements	Dry Weight (kgs)		Water Content (ltr/m)	
		Width (mm)		Width (mm)	
		450	600	450	600
690	14	5.1	6.2	2.9	3.6
1230	25	10.1	11.3	5.6	6.8
1703	35	-	15.4	-	9.0




Crystal - Optional Electric Elements			
Towel rail height	<800mm high	<1230mm high	<1800mm high
Non-thermostatic	200W	300W/400W	600W
Thermostatic	150W	300W	600W

Heat Outputs & Data Charts

Crystal Curved

Height (mm)	Length (mm)	Crystal Straight - White			Crystal Straight - Chrome		
		'n'	Heat Output (Watts)		'n'	Heat Output (Watts)	
			ΔT50	ΔT30		ΔT50	ΔT30
690	450	1.22	301	161	1.23	195	104
	600	1.22	386	207	1.24	251	133
1230	450	1.25	522	276	1.26	356	187
	600	1.25	669	353	1.27	464	242
1703	450	1.25	733	387	1.29	494	256
	600	1.25	940	497	1.29	644	333

Height (mm)	No. of Elements	Dry Weight (kgs)		Water Content (ltr/m)	
		Width (mm)		Width (mm)	
		450	600	450	600
690	14	5.1	6.2	2.9	3.6
1230	25	10.1	11.3	5.6	6.8
1703	35	-	15.4	-	9.0



Crystal - Optional Electric Elements			
Towel rail height	<800mm high	<1230mm high	<1800mm high
Non-thermostatic	200W	300W/400W	600W
Thermostatic	150W	300W	600W